







BEDS

NOTE: SIZES ON BEDS ARE SLEEP SURFACE MEASUREMENTS.

PRODUCT	MODEL & SIZE	DESCRIPTION
<p data-bbox="232 289 513 323">JUNIOR LOFT BED</p>  <p data-bbox="258 604 469 653"> JL-3675 JL-3975 JL-3680 JL-3980 </p>  <p data-bbox="258 1108 469 1157"> BB-3675 BB-3975 BB-3680 BB-3980 </p>	<p data-bbox="672 289 878 407"> JL-3675 36"W x 75"L 63 lbs. / Class 125 9.5 Cubes </p> <p data-bbox="672 541 878 659"> JL-3680 36"W x 80"L 64 lbs. / Class 125 10 Cubes </p> <p data-bbox="672 793 878 911"> JL-3975 39"W x 75"L 64 lbs. / Class 125 10 Cubes </p> <p data-bbox="672 1045 878 1163"> JL-3980 39"W x 80"L 65 lbs. / Class 125 10.5 Cubes </p>	<p data-bbox="1024 289 1406 443"> Two 36" high solid oak end pieces. E-Z connect steel spring adjusts to eleven different heights without hardware or tools. Posts are 2 1/2" square solid red oak. </p> <p data-bbox="1024 478 1382 569"> NOTE: For bunk beds change the suffix to BB and double the weight, cube and price. </p> <p data-bbox="1024 604 1406 730"> Units available with steel pins embedded in the solid wood posts or a steel channel positioned within a routed opening in the post. </p>
<p data-bbox="224 1369 521 1402">LOFT ADAPTOR KIT</p>  <p data-bbox="310 1780 415 1829"> LAK-3675 LAK-3680 </p>	<p data-bbox="672 1369 878 1486"> LAK-3675 36"W x 75"L 55 lbs. / Class 125 6 Cubes </p> <p data-bbox="672 1621 878 1738"> LAK-3680 36"W x 80"L 56 lbs. / Class 125 6 Cubes </p>	<p data-bbox="1024 1369 1406 1522"> Two 36" high solid oak end pieces. E-Z connect rear steel spreaders. Optional wood blocks and steel clips are available. (Top half is dotted line.) </p> <p data-bbox="1024 1558 1406 1684"> Units available with steel pins embedded in the solid wood posts or a steel channel positioned within a routed opening in the post. </p>



BEDS

NOTE: SIZES ON BEDS ARE SLEEP SURFACE MEASUREMENTS.

PRODUCT	MODEL & SIZE	DESCRIPTION
<p data-bbox="224 289 521 323">LOFT ADAPTOR KIT</p>  <p data-bbox="313 695 418 743">LAK-3975 LAK-3980</p>	<p data-bbox="704 289 846 323">LAK-3975 39"W x 75"L 56 lbs. / Class 125 6.5 Cubes</p> <p data-bbox="704 541 846 575">LAK-3980 39"W x 80"L 57 lbs. / Class 125 6.5 Cubes</p>	<p data-bbox="1019 289 1404 443">Two 36" high solid oak end pieces. E-Z connect rear steel spreaders. Optional wood blocks and steel clips are available. (Top half is dotted line.)</p> <p data-bbox="1019 478 1404 604">Units available with steel pins embedded in the solid wood posts or a steel channel positioned within a routed opening in the post.</p>
<p data-bbox="250 856 493 890">OAK BUNK BED</p>  <p data-bbox="313 1262 418 1310">OBB-3675 OBB-3680</p>	<p data-bbox="704 856 846 890">OBB-3675 36"W x 75"L 126 lbs. / Class 125 20 Cubes</p> <p data-bbox="704 1142 846 1176">OBB-3680 36"W x 80"L 130 lbs. / Class 125 23 Cubes</p>	<p data-bbox="1019 856 1382 982">Solid oak bunk bed with corner lock springs. Tall end is 36" high and short end is 21" high. Posts are 2 1/2" square solid red oak.</p> <p data-bbox="1019 1018 1382 1081">NOTE: For 39" wide units contact the factory.</p>
<p data-bbox="228 1436 514 1507">ECONOMY JUNIOR LOFT BED</p>  <p data-bbox="313 1860 418 1908">EJL-3675 EJL-3680</p>	<p data-bbox="704 1430 846 1463">EJL-3675 36"W x 75"L 110 lbs. / Class 125 20 Cubes</p> <p data-bbox="704 1715 846 1749">EJL-3680 36"H x 80"L 114 lbs. / Class 125 23 Cubes</p>	<p data-bbox="1019 1430 1409 1619">Solid oak or maple end pieces. Posts are 2 1/4" square with finger joint construction used in the posts and spreaders. Steel channels inserted for EZ connect spring connection.</p> <p data-bbox="1019 1654 1382 1717">NOTE: For 39" wide units contact the factory.</p>




BEDS

NOTE: SIZES ON BEDS ARE SLEEP SURFACE MEASUREMENTS.

PRODUCT	MODEL & SIZE	DESCRIPTION
<p data-bbox="219 289 522 325">SINGLE BED FRAME</p>  <p data-bbox="245 604 488 653"> SBF-3675 SBF-3975 SBF-3680 SBF-3980 </p>	<p data-bbox="672 289 878 409"> SBF-3675 36"W x 75"L 40 lbs. / Class 125 8 Cubes </p> <p data-bbox="672 573 878 693"> SBF-3680 36"W x 80"L 43 lbs. / Class 125 8.5 Cubes </p> <p data-bbox="672 856 878 976"> SBF-3975 39"W x 75"L 45 lbs. / Class 125 8.5 Cubes </p> <p data-bbox="672 1140 878 1260"> SBF-3980 39"W x 80"L 48 lbs. / Class 125 8.5 Cubes </p>	<p data-bbox="1024 289 1409 409"> Single steel bed frame with recessed legs. Steel no-sag springs. OPTIONAL: Headboard available by adding the suffix "HB". </p>
<p data-bbox="235 1398 505 1434">STEEL BUNK BED</p>  <p data-bbox="310 1801 415 1850"> SBB-3675 SBB-3680 </p>	<p data-bbox="667 1398 889 1518"> SBB-3675 36"W x 75"L 120 lbs. / Class 100 22 Cubes </p> <p data-bbox="667 1682 889 1801"> SBB-3680 36"W x 80"L 122 lbs. / Class 100 23 Cubes </p>	<p data-bbox="1024 1398 1409 1556"> Steel bunk bed with corner lock no-sag springs. Unit is standard without head and foot panels. Optional laminated panels are available by adding the suffix "HB". </p>





BEDS

NOTE: SIZES ON BEDS ARE SLEEP SURFACE MEASUREMENTS.

PRODUCT	MODEL & SIZE	DESCRIPTION
<p>STEEL BUNK BED</p>  <p>SBB-3975 SBB-3980</p>	<p>SBB-3975 39"W x 75"L 122 lbs. / Class 100 22.5 Cubes</p> <p>SBB-3980 39"W x 80"L 124 lbs. / Class 100 23 Cubes</p>	<p>Steel bunk bed with corner lock no-sag springs. Unit is standard without head and foot panels. Optional laminated panels are available by adding the suffix "HB".</p>
<p>DOLLY FRAME BED</p>  <p>DF-39 DF-54</p>	<p>DF-39 39"W x 71"L 52 lbs. / Class 65 1.5 Cubes</p> <p>DF-54 54"W x 71"L 54 lbs. / Class 65 1.5 Cubes</p>	<p>Twin or full size dolly frame bed with headboard. Headboard and frame can be ordered separately.</p>
<p>PLATFORM BED</p>  <p>PB-3675 PB-3680</p>	<p>PB-3675 36"W x 75"L 150 lbs. / Class 125 32 Cubes</p> <p>PB-3680 36"W x 80"L 155 lbs. / Class 125 34 Cubes</p>	<p>Platform bed without drawers and a solid deck sleep surface. Side panels extend above the deck 1" to provide a mattress retainer. Finished front and back panels. Optional high headboard is available.</p>


BEDS

NOTE: SIZES ON BEDS ARE SLEEP SURFACE MEASUREMENTS.



PRODUCT	MODEL & SIZE	DESCRIPTION
<p>PLATFORM BED</p>  <p>PB-3975 PB-3980</p>	<p>PB-3975 39"W x 75"L 155 lbs. / Class 125 33 Cubes</p> <p>PB-3980 39"W x 80"L 160 lbs. / Class 125 35 Cubes</p>	<p>Platform bed without drawers and a solid deck sleep surface. Side panels extend above the deck 1" to provide a mattress retainer. Finished front and back panels. Optional high headboard is available.</p>
<p>PLATFORM BED</p>  <p>PB-3675-D-1 PB-3975-D-1 PB-3680-D-1 PB-3980-D-1</p>  <p>PB-3675-D-2 PB-3975-D-2 PB-3680-D-2 PB-3980-D-2</p>  <p>PB-3675-D-3 PB-3975-D-3 PB-3680-D-3 PB-3980-D-3</p>	<p>PB-3675-D 36"W x 75"L (Weight depending on # of drawers selected) 32 Cubes</p> <p>PB-3680-D 36"W x 80"L (Weight depending on # of drawers selected) 34 Cubes</p> <p>PB-3975-D 39"W x 75"L (Weight depending on # of drawers selected) 33 Cubes</p> <p>PB-3980-D 39"W x 80"L (Weight depending on # of drawers selected) 35 Cubes</p>	<p>Platform bed with drawers is available with 1, 2, or 3 drawers. Indicate number of required drawers by adding 1, 2, or 3 after the "D". The bed with drawers is identical to the unit without drawers except for the drawer option. High headboard is also available. Drawers are equal in size.</p>

BEDS

NOTE: SIZES ON BEDS ARE SLEEP SURFACE MEASUREMENTS.

PRODUCT	MODEL & SIZE	DESCRIPTION
<p data-bbox="228 289 516 323">SPRING MATTRESS</p>  <div data-bbox="250 508 487 558"> <p>SM-3675 SM-3975 SM-3680 SM-3980</p> </div>	<p data-bbox="711 289 841 323">SM-3675 36"W x 75"L 32 lbs. / Class 200 13.5 Cubes</p> <p data-bbox="711 508 841 541">SM-3680 36"W x 80"L 36 lbs. / Class 200 15.5 Cubes</p> <p data-bbox="711 730 841 764">SM-3975 39"W x 75"L 36 lbs. / Class 200 14.5 Cubes</p> <p data-bbox="711 953 841 987">SM-3980 39"W x 80"L 40 lbs. / Class 200 16 Cubes</p> <p data-bbox="711 1176 841 1209">SM-5475 54"W x 75"L 60 lbs. / Class 200 20 Cubes</p>	<p data-bbox="1024 289 1403 382">Spring mattress is 312 Bonnel coil unit. Institutional pin striped ticking. OPTIONAL: Fire rated ticking.</p>

BEDS

PRODUCT	MODEL & SIZE	DESCRIPTION
<p data-bbox="274 289 467 323">BOX SPRING</p>  <p data-bbox="321 508 412 579">BS-3975 BS-3980 BS-5475</p>	<p data-bbox="672 289 878 407">BS-3975 39"W x 75"L 43 lbs. / Class 200 14.5 Cubes</p> <p data-bbox="672 508 878 625">BS-3980 39"W x 80"L 47 lbs. / Class 200 15.5 Cubes</p> <p data-bbox="672 730 878 848">BS-5475 54"W x 75"L 60 lbs. / Class 125 18 Cubes</p>	<p data-bbox="1024 289 1360 344">Box spring for use with a dolly frame.</p>
<p data-bbox="245 1016 498 1050">FOAM MATTRESS</p>  <p data-bbox="321 1234 412 1281">FM-3975 FM-3980</p>	<p data-bbox="672 1016 878 1134">FM-3675 36"W x 75"L 30 lbs. / Class 200 13.5 Cubes</p> <p data-bbox="672 1239 878 1356">FM-3680 36"W x 80"L 32 lbs. / Class 200 15 Cubes</p>	<p data-bbox="1024 1016 1377 1134">Foam mattress with staph-check vinyl cover. Inverted seam with side closure. Fire rated. One end closes with a zipper.</p>

BEDS

OPTIONS & ACCESSORIES

1. **84" length** is available in most models.
2. **Solid deck sleep surface** is available in most models. Deck bolts to steel frame.
3. **Scalloped side panels** are available on the platform bed without drawers. This allows for cleaning under the bed without moving the unit.
4. **Guard rails** are available for most models. It is recommended that all beds with sleep surfaces above 15" from the floor incorporate side rails.
5. **Locks** are available on the drawers for the platform bed.
6. **Bunking pins** are available individually. All bunking or lofting beds are shipped with pins.
7. **Full size headboards** are available.
8. **Cross rails** on the wood ends can be revised.
9. **Ladders** are available for all models.